

**Compliance and Investigations Report
July 1, 2010 - August 31, 2010**

NAME	COMPLAINT	RULE/PROTOCOL	ACTION TAKEN
Varian Doolittle EMT-Basic	ALS Issues	420-2-1-.05	Remedial Education
James Stallings EMT-Basic	ALS Issue	420-2-1-.05	Remedial Education
Kathleen Butler EMT-Paramedic	ATCC Notification	Protocol 7.6	Remedial Education
Lee Bramlett EMT-Basic	Exceeding Scope of License	420-2-1-.25	Suspension
Albert Murdock, Jr. EMT-Basic	Exceeding Scope of License	420-2-1-.25	Suspension
Matthew Wuerdeman EMT-Basic	Exceeding Scope of License	420-2-1-.25	Licensure Action Pending
Melissa Prince EMT-Paramedic	Falsification of Records	420-2-1-.25	Suspension
Naomi Sapp EMT-Paramedic	Protocol Issue	3.4 & 6.8	Protocol Update
Michael Patton EMT-Paramedic	Falsification of Records	420-2-1-.25	Suspension
	Responsibility of Patient	420-2-1-.16	
James Stokes EMT-Paramedic	Falsification of Records	420-2-1-.25	Suspension

All complaints filed with the Office of EMS and Trauma, are investigated. However, if no rule or protocol violation is found, the complaint will not be listed in the report.

Ground Vehicle Standards Report
July 1, 2010 – August 31, 2010

NAME	RULE/PROTOCOL	ACTION TAKEN
Adamsville Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Goggles, O ₂ Mask, Patient Rain Cover, Abdominal Pads	
Alabaster Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Mask, Butterfly Needles, Syringes, Biohazard Bags, Micro/Macro Drip Sets	
Albertville Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Portable Suction w/Tip, Pulse Ox, Flashlight, Emesis Container	
Equipment Not Working	Emergency Light Out	
	Expired Medication(s) x 3	
Alexander City Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, Portable Suction, Nasopharyngeal, Pediatric Stethoscope, Vaseline Gauze, Butterfly Needles, Biohazard Bags, O ₂ Mask, Micro/Macro Drip Sets, Needles, Fire Extinguisher	
	Expired Medication(s) x 6	
	Normal Saline x 2	
Arab Fire & Rescue	420.2-1-.10	Unit(s) Grounded x 2
Deficiencies	Portable Suction, Micro/Macro Drip Sets, Patient Rain Cover, CO ₂ Monitoring Equipment, Extra Batteries	
Equipment Not Working	Siren, Horn, Ambulance Unit Would Not Start	
Arjenna Parabasic Transport	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Masks and Assorted C-Collars	
Birmingham Fire & Rescue Service	420.2-1-.10	No Units Grounded
Deficiencies	Extra Batteries, Burn Sheets, O ₂ Mask, Micro/Macro Drip Sets, C-Collars, CID's, Activated Charcoal	
Expired IV Fluid	Normal Saline	
Brookside Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, Short Board, Trauma Dressing, Goggles, Face Mask, Flashlight, Burn Sheets, O ₂ Mask, Micro/Macro Drip Sets, Butterfly Needles, Needles, Fire Extinguisher	
Calera Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Abdominal Pads, Shears, O ₂ Mask, Micro/Macro Drip Sets, Syringes, IV Pressure Infuser, Extra Batteries, A/P BVM, Butterfly Needles, Patient Rain Cover, Trauma Dressing, Biohazard Bags, Burn Sheets	
	Expired Medication(s) x 1	

Chelsea Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Extra Batteries, O ₂ Mask, Emesis Container, Urinal, Vaseline	

	Gauze, Micro/Macro Drip Sets	
	Expired Medication(s) x 3 and Normal Saline Out of Date	
County EMS (Lawrence Co.)	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, On-Board O ₂ , Shears, Floor in Patient Compartment Needs to be Repaired	
Cullman EMS	420.2-1-.10	Unit(s) Grounded x 1
Deficiencies	On-Board Suction, Oral-Pharyngeal Airways, O ₂ Mask, Micro/Macro Drip Sets, Fire Extinguisher, CO ₂ Monitoring Equipment, Vaseline Gauze, Butterfly Needles, Reflectors/Flares, Short Board, Tri-Bandages, Patient Restraints, Pulse Ox, Nasopharyngeal Airways, Glucose Paste, Flashlights, Bed Pan, Biohazard Bags, Activated Charcoal, Goggles	
Equipment Not Working	Mirrors (Cracked), Loading Lights, Horns, Emergency Lights	
Dothan Ambulance Service	420.2-1-.10	No Units Grounded
Deficiencies	Service Name	
Dothan Fire Department	420.2-1-.10	No Units Grounded
	Expired Medication(s) x 5	
Forestdale Fire District	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Mask, IO Needles, Trauma Dressing, Oral Airways, Stethoscope, CO ₂ Monitoring Equipment	
	Expired Medication(s) x 1	
Fultondale Fire & Rescue Service	420.2-1-.10	No Units Grounded
Deficiencies	Trauma Dressing, O ₂ Mask, Micro/Macro Drip Sets, Patient Rain Cover, Abdominal Pads, Syringes	
	Expired Medication(s) x 1	
Gardendale Fire & Rescue Service	420.2-1-.10	No Units Grounded
Deficiencies	Patient Rain Cover, O ₂ Mask, Micro/Macro Drip Sets, Trauma Dressing, Vaseline Gauze, Extra Batteries, Needles, CO ₂ Monitoring Equipment	
Greg's Ambulance Service	420.2-1-.10	No Units Grounded
Deficiencies	Biohazard Bags, O ₂ Mask, Pillows, CO ₂ Monitoring Equipment, Portable Suction, Bed Pan, Glucose Paste, Reflectors/Flares, Vaseline Gauze, Triangle Bandages, Burn Sheets, Patient Rain Cover, Activated Charcoal	
Guntersville Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Goggles, Portable Suction w/Tip, O ₂ Mask, IV Pressure Infuser, Portable O ₂	

Harpersville Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Portable Suction, O ₂ Mask, Micro/Macro Drip Sets, Urinal, CO ₂ Monitoring Equipment	
Equipment Not Working	Emergency Lights	

Helena Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Butterfly Needles, CO ₂ Monitoring Equipment, Vaseline Gauze, Burn Sheets, O ₂ Mask, Micro/Macro Drip Sets, Abdominal Pads, Biohazard Bags, Nasopharyngeal Airways	
Highland Medical Center	420.2-1-.10	Unit(s) Grounded x 3
Deficiencies	ET Tubes, Shears, CO ₂ Monitoring Equipment, Triangle Bandage, Extra Batteries, O ₂ Mask, Syringes, Stethoscope, Pulse Ox, Nasopharyngeal Airways, Oral Airways, Goggles, Tourniquets, Burn Sheets, IO Needles	
Equipment Not Working	Back-Up/Brake Lights, Horn	
Equipment Not Working	Emergency Lights, Loading Lights, Back-Up/Brake Lights, A/C Issues	
Equipment Not Working	Loading Lights, Not Enough Equipment, Floor in the Patient Compartment Needs to be Repaired	
Hillsboro Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares and IO Needles	
Hoover Fire Department	420-2-1-.10	No Units Grounded
Deficiencies	Abdominal Pads, Vaseline Gauze, Triangle Bandages, Extra Batteries, Patient Rain Cover, Nasopharyngeal Airways, O ₂ Mask, Micro/Macro Drip Sets, IV Pressure Infuser, IO Needles, BVM, Butterfly Needles, Syringes, Reflectors/Flares, Bed Pan, Urinal	
	Expired Medication(s) x 6	
Hueytown Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Mask, Butterfly Needles, IO Needles, Triangle Bandages, Extra Batteries, Burn Sheets, IV Pressure Infuser, Patient Rain Cover	
Indian Ford Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Biohazard Bags, O ₂ Mask, Micro/Macro Drip Sets, Butterfly Needles, IV Pressure Infuser, IO Needles	
Livingston Fire Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Turn Signal, Windshield	
McCalla Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Vaseline Gauze, Goggles, Burn Sheets, OB Kit, O ₂ Mask, Butterfly Needles, Syringes, B/P Cuff, CO ₂ Monitoring Equipment, Expired IV Fluids	
Marshall Health System (Boaz)	420.2-1-.10	No Units Grounded
Deficiencies	Abdominal Pads, Emesis Container, CO ₂ Monitoring Equipment	

Marshall Health System (Guntersville)	420.2-1-.10	No Units Grounded
Deficiencies	Nasopharyngeal, Flashlight, Goggles, Butterfly Needles, Patient Rain Cover	
	Expired Medication(s) x 5	
Med-Call (Morgan County)	420.2-1-.10	Unit(s) Grounded x 2

Deficiencies	O ₂ Masks, Bed Pan, IO Needles, No Smoking Signs, Vehicle Permit, On-Board Suction, Glucose Meter, Pulse Ox, Flashlight, Glucose Paste	
Equipment Not Working	VHF/UHF Radio, Turn Signal, Emergency Lights, Tires, A/C Issues	
	Expired Medication(s) x 2	
Montevallo Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Face Mask, Micro/Macro Drip Sets, Syringes, Rescue Equipment, Reflectors/Flares, Patient Rain Cover, Flashlight, Nasopharyngeal, O ₂ Masks, CO ₂ Monitoring Equipment, Portable O ₂	
Moody Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Masks, Syringes	
Mt. Olive Fire & Rescue Service	420.2-1-.10	No Units Grounded
Deficiencies	Abdominal Pads, Vaseline Gauze, O ₂ Mask	
Northstar (Franklin County)	420.2-1-.10	No Units Grounded
Deficiencies	O ₂ Mask, Flashlight, Portable Suction, Activated Charcoal	
	Expired Medication(s) x 3	
Northstar (Shelby County)	420.2-1-.10	No Units Grounded
Deficiencies	Portable Suction, O ₂ Mask, Urinal	
Equipment Not Working	VHF/UHF Radio, Windshield Cracked All the Way Across, Tires	
Palmerdale Fire District	420.2-1-.10	No Units Grounded
Deficiencies	Trauma Dressing, Burn Sheets, Micro/Macro Drip Sets, IO Needles, Assorted Splints, Traction Splint, Short Board, Portable O ₂ , Extra Batteries, Portable Suction, Nasopharyngeal Airways, Oral Airways, Burn Sheets, O ₂ Mask	
Pea Ridge Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, Long Back Board, Patient Rain Cover, Face Mask, ET Tubes, Nasopharyngeal, BVM, O ₂ Mask, Needles, Activated Charcoal, IV Pressure Infuser, Activated Charcoal, Oral Glucose, Zofran	
Pelham Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Triangle Bandages, O ₂ Mask, Micro/Macro Drip Sets, Tourniquets, ET Tubes, Vaseline Gauze, Butterfly Needles	
	Expired Medication(s) x 1	
Phil Campbell Rescue	420.2-1-.10	Unit Grounded x 1
Deficiencies	Portable O ₂ , O ₂ Mask, Micro/Macro Drip Sets	
Equipment Not Working	Tires	
Pleasant Bay Ambulance	420.2-1-.10	Unit(s) Grounded x 2
Deficiencies	Vaseline Gauze, Triangle Bandage, Nasopharyngeal Airways, O ₂ Mask, Shears, B/P Cuff, Urinal, Extra Batteries, Laryngoscope Blades, ET Tubes, A/P BV, Butterfly Needles, Stethoscope, Flashlight, On-Board Suction	
Equipment Not Working	Load Lights, Back-Up/Brake Lights, Tires, A/C Issue	
	Expired Medication(s) x 2 and Normal Saline	
Pleasant Grove Fire & Rescue	420.2-1-.10	No Units Grounded

Deficiencies	O ₂ Mask, IO Needles	
	Expired Medication(s) x 1	
	Missing Medication(s) x 1	
RPS (Cullman)	420.2-1-.10	No Units Grounded
Deficiencies	Butterfly Needles, O ₂ Mask, Pulse Ox, B/P Cuff, Activated Charcoal, Glucose Paste, Flashlight, Portable Suction	
Equipment Not Working	VHF/UHF Radio	
Expired IV Fluids	Normal Saline	
RPS (Shelby)	420.2-1-.10	Unit(s) Grounded x 1
Deficiencies	O ₂ Mask, Pillows, Butterfly Needles, Burn Sheets, Needles, Syringes, Bed Pan, Urinal, IV Pressure Infuser, CO ₂ Monitoring Equipment, Flashlight, Portable Suction, Abdominal Pads, Triangle Bandages	
Equipment Not Working	On-Board Suction, VHF/UHF Radio, Windshield Cracked, A/C Issues	
RPS (St. Clair County)	420.2-1-.10	No Units Grounded
Deficiencies	Soft Bandages, O ₂ Masks, Micro/Macro Drip Sets, Butterfly Needles, Pulse Ox, Shears, Trauma Dressing, IV Pressure Infuser, Abdominal Pads, Morphine Log Book Not Followed	
Sanitation Issue	Blood Found on Shelves	
Ragland Rescue Service	420-2-1-.10	No Units Grounded
Deficiencies	O ₂ Mask, Activated Charcoal (None on the Truck)	
Equipment Not Working	Emergency Light	
Russellville Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, Portable O ₂ , Goggles, O ₂ Mask, Tourniquets, CO ₂ Monitoring Equipment, BVM	
	Expired Medication(s) x 7	
Scottsboro Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Assorted Splints, Patient Rain Cover, O ₂ Mask, Burn Sheets, Traction Splint, Goggles, ET Tubes, and Micro/Macro Drip Sets	
Springville Fire & Rescue	420.2-1-.10	No Units Grounded
Deficiencies	Abdominal Pads, Patient Restraints, Burn Sheets, Butterfly Needles, O ₂ Mask	
Sylvan Springs Fire	420.2-1-.10	No Units Grounded
Deficiencies	Triangle Bandages, O ₂ Mask, Micro/Macro Drip Sets, Reflectors/Flares	
	Expired Medication(s) x 2	
Warrior Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Reflectors/Flares, Trauma Dressing, Abdominal Pads, Triangle Bandages, Goggles, Face Mask, Biohazard Bags, Shears, Flashlight, OB Kit, O ₂ Mask, Butterfly Needles, Fire Extinguisher, IO Needles, CO ₂ Monitoring Equipment, Traction Splint	
	Expired Medication(s) x 1	
Westover Fire Department	420.2-1-.10	No Units Grounded
Deficiencies	Long Board, O ₂ Mask, Micro/Macro Drip Sets	