



NEWS RELEASE

ALABAMA DEPARTMENT OF PUBLIC HEALTH

RSA Tower 201 Monroe Street, Suite 914 Montgomery, AL 36104
Phone 334-206-5300 Fax 334-206-5534

www.adph.org

Eastern Equine Encephalitis detected in Baldwin County resident

FOR IMMEDIATE RELEASE

CONTACT:

Dee W. Jones, DVM
Xin Yue (Talia)
(334) 206-5969
Rachel Beck
(251) 947-3618

The Baldwin County Health Department announced that one county resident has been diagnosed with Eastern Equine Encephalitis (EEE). Previously, EEE was detected in sentinel chickens in June in the Orange Beach area and in Lillian in July. Three other sentinel chickens, one from the Loxley area, one from the Silverhill area and one from the Foley area have tested positive for West Nile Virus in September.

“With the approach of fall, many people will be taking advantage of the cooler evenings to enjoy outdoor activities such as sporting events and it is imperative that residents take every effort to reduce their exposure to mosquitoes,” said Baldwin County Health Department Senior Environmentalist Rachel Jennings. “Keep your mosquito repellent with you at all times when you are working or recreating outdoors.”

EEE, West Nile virus (WNV), and other mosquito-borne viruses are transmitted from bird to mosquito to bird. Occasionally, when bird hosts are scarce, the same mosquitoes will take blood from mammals, including humans and horses. Humans and horses can sometimes become ill from the infection. The likelihood of transmission to humans and horses can be decreased by personal mosquito avoidance and the use of EEE and WNV vaccine in horses. There is no vaccine available for humans, health officials said.

Baldwin County Health Department established a mosquito control program in 2003 that includes surveillance activities such as mosquito trapping and testing and sentinel chicken surveillance. These activities are conducted to monitor for mosquito-borne diseases and track mosquito populations. Serum samples taken each week from the 16 sentinel chicken flocks are tested for the presence of EEE, WNV and St. Louis encephalitis. In addition to surveillance activities, the department also works to eliminate mosquito breeding sites and conducts larvicide and adulticide applications. Larvicide is also available free to the public for application in low-lying areas that retain water and ornamental ponds. The health department also has a few cases of mosquito repellent to give away to the public on a first come/first serve basis.

“It is reasonable to assume that mosquito-borne viruses are likely circulating between mosquitoes and birds in all parts of Baldwin County,” Beck said. “Everyone should try to avoid exposure to mosquitoes.”

Mosquitoes that can spread these viruses among birds are commonly found in urban and suburban communities as well as rural, freshwater swamp areas. They will breed readily in storm sewers, ditches, waste lagoons and in artificial containers around one’s home. Health officials said it is imperative that homeowners do a careful inspection around their homes to be sure nothing holds water for longer than three days.

Mosquito-borne virus surveillance has been conducted statewide for the past five years. During that time, EEE, WNV, St. Louis Encephalitis Virus, and La Crosse Encephalitis Virus have been detected. Epidemiologists point out that EEE can be more dangerous to people and other mammals than other mosquito-borne viruses, but that the same mosquito prevention measures reduce exposures to both. The health department will continue to notify local officials of test results and recommend methods of prevention.

Since mosquitoes are commonly found throughout much of Alabama, health officials offer practical strategies for the mosquito season:

PERSONAL PROTECTION; CLOTHING AND AROMATICS

- o Wear loose fitting, light colored clothes to help prevent mosquitoes from reaching the skin and to retain less heat, making yourself less “attractive” to mosquitoes. Mosquitoes are more attracted to dark colors.
- o When possible, wear long sleeves and long pants.
- o Avoid perfumes, colognes, fragrant hair sprays, lotions and soaps, which attract mosquitoes.

PERSONAL PROTECTION; REPELLENTS

- o Follow the label instructions when applying repellents. Permethrin repellents are only for clothes – not for application on the skin.
- o When using repellents avoid contact with the eyes, lips and nasal membranes. Use concentrations of less than 10 percent when applying DEET – containing products on children
- o Apply DEET repellent on arms, legs and other exposed areas but never under clothing.
- o After returning indoors, wash treated skin with soap and water.
- o Citronella candles and repellents containing citronella can help, but their range is limited. Herbs such as cedar, geranium, pennyroyal, lavender, cinnamon, and garlic are not very effective.

PERSONAL PROTECTION; AROUND THE HOME

- o Mosquito activities peaks at dusk and again at dawn; restrict outdoor activity during these hours.
- o Keep windows and door screens in good condition.
- o Replace porch lights with yellow light bulbs that will attract fewer insects.
- o Mosquitoes breed in standing water; empty all water from old tires, cans, jars, buckets, drums, plastic wading pools, toys, and other containers.
- o Clean clogged gutters.
- o Remove the rim from potted plants and replace water in plant/flower vases weekly.
- o Replenish pet watering dishes daily and rinse bird baths twice weekly.
- o Fill tree holes and depressions left by fallen trees with dirt or sand.

- o Stock ornamental ponds with mosquito fish or use larvicide “doughnuts.”

-30-

9/12/07