
Selected Health Status Indicators



Jointly produced to assist those seeking to improve health care in Alabama

By

The Office of Minority Health and The Office of Primary Care and Rural Health, Alabama Department of Public Health

July 2013

SELECTED HEALTH STATUS INDICATORS Caucasian and African American Residents, Alabama and the United States

Indicators		United	l States		Alabama				
	Caucasian		African A	African American		Caucasian		American	
2012 Population	Number	Pct. of Total	Number	Pct. of Total	Number	Pct. of Total	Number	Pct. of Total	
Total population	244,495,567	100.0	41,204,793	100.0	3,373,844	100.0	1,279,805	100.0	
Males	121,109,455	49.5	19,694,608	47.8	1,659,639	49.2	596,488	46.6	
Females	123,386,112	50.5	21,510,185	52.2	1,714,205	50.8	683,317	53.4	
Under 20 years of age	60,609,451	24.8	12,569,888	30.5	805,776	23.9	388,111	30.3	
Age 65 years or more	37,095,301	15.2	3,781,038	9.2	563,285	16.7	124,352	9.7	
Age 85 years or more	5,232,191	2.1	423,548	1.0	64,504	1.9	14,722	1.2	

Population Change	Number	Pct. Change	Number	Pct. Change	Number	Pct. Change	Number	Pct. Change
1910 – 2010	81,731,957 to	173.5	9,827,763 to	296.1	1,228,832 to	166.5	908,282 to	37.8
1910 – 2010	223,553,265	175.5	38,929,319	230.1	3,275,394	100.5	1,251,311	37.0
2010 – 2040 Projected	223,553,265 to	28.7	38,929,319 to	39.9	3,275,394 to	15.6	1,251,311 to	25.8
2010 – 2040 Projected	287,787,000	20.7	54,462,000	39.9	3,785,415	13.0	1,574,468	23.0
Age 65+: 2010 - 2040	34,139,237 to	92.0	3,438,397 to	173.5	529,974 to	67.0	116,597 to	146.4
Projected	62,766,000	83.9	9,405,000	173.5	884,925	07.0	287,277	140.4

Income Related Indicators	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Population Below Poverty Level – 2011	29,260,632	13.0	10,543,367	28.1	439,025	13.5	400,999	32.4
Population Under 18 Years of Age Below Poverty Level – 2011	8,839,164	17.8	4,082,476	39.4	126,114	18.0	157,722	45.8
Population Aged 65 Years or More Below Poverty Level – 2011	2,648,192	7.8	645,046	18.9	40,742	7.8	117,909	21.6
Households Receiving Food Stamps/SNAP in the Past 12 Months – 2011	9,138,671	10.2	3,900,716	28.1	144,549	11.0	160,352	34.1
Medicaid Births – 2011	N.A.	N.A.	N.A.	N.A.	17,457	44.0	13,286	74.0
Unemployed Persons Aged 16-24 Years and Unemployment Rates – 2011	2,794,871	17.4	1,056,955	34.2	43,497	20.4	32,826	32.6

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States **United States** Indicators Alabama Caucasian African American Caucasian **African American** Income Related Percent Number Number Percent Number Percent Number Percent Indicators - continued Unemployed Persons Aged 25-64 Years and 14.9 7,318,252 7.6 2,151,229 14.6 98,356 7.6 67,019 Unemployment Rates **–** 2011 Population Aged 25-64 Not in the Labor Force 26,743,677 466,372 26.5 202,674 31.0 21.6 5,464,099 26.9 - 2011

Cause of Death Indicators (Includes causes with 50 or more deaths statewide.)	Number in 2010	Age-Adjusted Rate per 100,000 Pop.	Number in 2010	Age-Adjusted Rate per 100,000 Pop.	Number in 2009 - 2011	Age-Adjusted Rate per 100,000 Pop.	Number in 2009 - 2011	Age-Adjusted Rate per 100,000 Pop.
All Causes	2,114,749	741.8	286,959	898.2	109,935	914.1	32,911	1,048.0
Septicemia	27,985	9.8	6,001	19.4	1,836	15.1	794	25.5
Viral Hepatitis	6,061	2.1	1,101	2.8	236	1.9	61	1.6
Human								
Immunodeficiency Virus (HIV) Disease	3,575	1.4	4,662	11.6	110	1.1	330	9.1
Cancer	491,686	172.4	65,930	203.8	23,493	187.3	6,913	215.8
Lip, Oral Cavity, and Pharynx	7,151	2.5	1,006	2.8	338	2.7	100	2.9
Esophagus	12,761	4.4	1,437	4.2	511	4.0	148	4.3
Stomach	8,524	3.0	2,000	6.3	314	2.5	215	6.8
Colon, Rectum, and Anus	43,854	15.3	7,005	21.8	1,934	15.6	752	23.6
Liver and Intrahepatic Bile Ducts	15,949	5.5	2,826	7.8	736	5.8	220	6.4
Pancreas	31,413	10.9	4,327	13.7	1,380	10.9	427	13.2
Larynx	3,007	1.1	613	1.8	162	1.3	74	2.1
Trachea, Bronchus, and Lung	137,698	48.3	16,688	51.4	7,830	61.2	1,766	54.4

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States

Indicators		United	States			Alab		
	Caud	casian	African A	American	Cauc	asian	African A	American
Cause of Death Indicators - continued (Includes causes with 50 or more deaths statewide.)	Number in 2010	Age-Adjusted Rate per 100,000 Pop.	Number in 2010	Age-Adjusted Rate per 100,000 Pop.	Number in 2009 - 2011	Age-Adjusted Rate per 100,000 Pop.	Number in 2009 - 2011	Age-Adjusted Rate per 100,000 Pop.
Cancer - continued Breast (female)	33,834	21.5	6,031	30.3	1,364	20.0	596	30.3
Uterus (female) (ICD-10 codes C53-C55)	9,658	6.3	2,227	11.5	328	5.1	232	12.2
Ovary (female)	12,841	8.2	1,279	6.7	650	9.2	147	7.9
Prostate (male)	23,172	20.2	4,854	48.0	1,027	21.5	579	58.5
Kidney and Renal Pelvis	11,659	4.1	1,185	3.6	491	3.9	136	4.1
Bladder	13,404	4.7	1,073	3.7	514	4.2	89	3.0
Meninges, Brain, and Other Parts of the Central Nervous System	12,876	4.6	896	2.5	714	5.8	82	2.4
Non-Hodgkin's Lymphoma	18,198	6.4	1,509	4.6	808	6.6	143	4.6
Leukemia	20,088	7.2	1,816	5.7	971	7.9	174	5.5
Multiple Myeloma and Immunoproliferative Neoplasms	9,154	3.2	2,003	6.5	400	3.2	217	7.0
Anemias	3,741	1.3	1,007	3.0	182	1.5	126	3.8
Diabetes Mellitus	54,250	19.0	12,126	38.7	2,364	19.2	1,457	46.8
Malnutrition	2,358	0.8	357	1.2	142	1.2	65	2.2
Parkinson's Disease	20,792	7.3	804	3.0	987	8.2	85	3.1
Alzheimer's Disease	76,928	26.0	5,220	20.6	3,817	32.2	668	25.3

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States **United States** Indicators Alabama Caucasian **African American** African American Caucasian Cause of Death Age-Adjusted Age-Adjusted Age-Adjusted Age-Adjusted Indicators - continued Number in Number in Number in Number in (Includes causes with Rate per Rate per Rate per Rate per 2009 - 2011 2009 - 2011 2010 2010 50 or more deaths 100,000 Pop. 100,000 Pop. 100,000 Pop. 100,000 Pop. statewide.) **Major Cardiovascular** 667,081 229.6 35,495 359.2 92,898 304.1 292.8 11,031 Diseases **Heart Diseases** 514,323 176.9 69,083 224.9 27,745 228.8 8,005 260.0 Hypertensive Heart Disease 25,097 8.6 7,729 23.6 843 7.1 378 12.0 Acute Myocardial 50.3 106.204 36.6 12.743 41.8 5.980 48.6 1.585 Infarction Atherosclerotic Cardiovascular 47,470 16.3 8,361 26.0 1,480 12.2 431 13.9 Disease, so Described Heart Failure 51,290 17.4 5,528 19.3 4,561 37.9 1,189 40.5 Essential Hypertension and 7.0 7.9 649 20.6 20,560 5.116 17.0 960 Hypertensive Renal Disease Cerebrovascular 37.7 67.1 53.0 5.717 47.4 109.119 15.965 2,034 Diseases (Stroke) Atherosclerosis 2.2 5.3 6,513 594 2.1 370 3.0 152 Aortic Aneurysm and 9,134 3.2 972 3.0 388 3.2 65 2.1 Dissection Pneumonia 42,887 14.7 4,868 16.7 2,252 18.8 493 16.8

29.0

2.3

4.9

7,603

88

659

61.3

8.0

5.5

875

77

162

Chronic Lower

Asthma

Respiratory Diseases

Pneumonitis due to

Solids and Liquids

127,176

2,366

15.235

44.6

0.9

5.2

8,715

879

1.380

29.6

2.3

5.6

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States **United States** Indicators Alabama Caucasian **African American African American** Caucasian Cause of Death Age-Adjusted Age-Adjusted Age-Adjusted Age-Adjusted Indicators - continued Number in Number in Number in Number in (Includes causes with Rate per Rate per Rate per Rate per 2009 - 2011 2010 2010 2009 - 2011 50 or more deaths 100,000 Pop. 100,000 Pop. 100,000 Pop. 100,000 Pop. statewide.) Chronic Liver Disease 28,014 9.9 2,635 6.7 1,260 10.2 268 7.0 and Cirrhosis Nephritis, Nephrotic Syndrome, and 40.9 40,205 14.0 8,841 29.3 2,174 17.8 1,225 Nephrosis 12.2 25.9 16.7 37.5 Renal Failure 35,261 7.857 2,042 1,130 Congenital Malformations. Deformations, and 7,566 3.2 1.656 3.6 321 3.4 137 3.4 Chromosomal Abnormalities 40.3 55.5 38.8 Accidents 104,945 12,069 31.3 5,858 1,391 Motor Vehicle 29,392 11.7 4,477 10.9 2,042 19.9 653 17.4 Accidents 3.8 4.4 Falls 24,133 8.4 1.164 520 59 1.8 Accidental Drowning 2,970 1.2 1.3 1.8 1.9 571 183 69 and Submersion Accidental Exposure to Smoke. Fire. and 1.6 172 3.1 2.135 8.0 577 1.6 110 Flames Accidental Poisoning 29,283 11.9 2,988 7.3 1,430 14.5 139 3.8 and Exposure to Noxious Substances Intentional Self-Harm 34,690 13.6 2,144 5.2 16.7 183 4.9 1,786 (suicide) Assault (homicide) 4.4 7,863 7,818 17.7 440 728 18.6 3.3

		D HEALTH STATUS INDICA an American Residents, Ala		es
Indicators	United	d States	Alab	pama
	Caucasian	African American	Caucasian	African American

	Causes of Death Groupings of Special Interest											
Cause of Death Indicators (Includes all causes with 50 or more deaths statewide.)	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.	Number in 2009 - 2011	Rate per 100,000 Pop.				
Firearm Deaths (intentional self-harm, assault, legal intervention, and undetermined intent)	23,490	9.2	7,454	16.9	1,630	15.2	739	18.9				
Drug-Induced Deaths	36,020	14.6	3,561	8.7	1,648	16.6	161	4.3				
Alcohol-Induced Deaths	22,167	8.0	2,330	5.9	563	4.7	181	4.8				

		Canc	er Incidence a	nd Rates by Site	e and County			
Cancer Site	Number in 2000 - 2010	Rate per 100,000 Pop.	Number in 2000 - 2010	Rate per 100,000 Pop.	Number in 2000 - 2010	Rate per 100,000 Pop.	Number in 2000 - 2010	Rate per 100,000 Pop.
All Sites	6,338,524	470.9	763,597	484.3	93,233	468.8	25,115	478.7
Lung and Bronchus	917,181	67.9	106,862	70.6	16,041	78.8	3,431	66.6
Colon and Rectum	611,851	45.1	83,688	54.8	9,380	46.9	3,039	59.0
Melanoma of the Skin	284,336	21.6	1,567	1.0	4,866	25.5	59	1.2
Prostate	876,041	140.8	148,141	228.6	12,712	137.3	5,111	243.8
Breast (Female, only)	877,504	123.0	110,659	118.0	12,361	117.6	3,751	120.4
Cervix	48,725	7.7	9,882	10.3	724	8.3	307	9.9

Natality Related Indicators	Number	Measure	Number	Measure	Number	Measure	Number	Measure
Infant Mortality 2009- 2011 – (Per 1,000 Births)	48,209	5.2	22,947	11.9	761	6.3	734	13.3
Low Weight Births – 2011 (Percent of All Births)	214,445	7.1	82,277	13.0	3,067	7.7	2,700	15.0

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States

Indicators			l States	1001001110,7110	Alabama				
	Cauc	asian	African A	American	Cauc	asian	African A	American	
Natality Related Indicators – continued	Number	Measure	Number	Measure	Number	Measure	Number	Measure	
Births to Teens (10-19) - 2011 (Percent of All Births)	234,461	7.8	86,615	13.7	3,797	9.6	2,812	15.6	
Births With Less Than Adequate Prenatal Care – 2011 (Percent of All Births)	N.A,	N.A,	N.A,	N.A,	10,120	25.7	5,252	29.5	
Births to Teens With Less Than Adequate Prenatal Care – 2011 (Percent of All Births)	N.A,	N.A,	N.A,	N.A,	1,248	33.2	1,059	38.1	
Caesarian Births – 2011 (Percent of All Births)	975,575	32.3	222,781	35.2	13,746	34.6	6,741	37.5	
Tobacco Use During Pregnancy – 2011 (Percent of All Births)	N.A,	N.A,	N.A,	N.A,	5,119	12.9	1,095	6.1	
Births to Undereducated Women – 2011 (Percent of All Births)	N.A,	N.A,	N.A,	N.A,	6,301	15.9	2,604	14.5	
Births to Unmarried Women – 2011 (Percent of All Births)	1,079,091	35.7	454,403	71.8	11,089	27.9	13,533	75.3	
Births to Unmarried Teenage Women – 2011 (Percent of All Births)	200,231	85.4	84,376	97.4	2,741	72.2	2,750	97.8	
Preterm Births – 2011 (Percent of All Births)	326,198	10.8	104,429	16.5	5,206	13.1	3,647	20.3	

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States

Indicators			l States	,			pama	
	Cauc	asian	African A	American	Cauc	asian	African A	American
Other Indicators	Number	Measure	Number	Measure	Number	Measure	Number	Measure
Married Population Aged 15 Years or More - 2011 (Does Not Include Married, but Separated)	97,680,429	51.6	8,817,896	28.9	1,526,275	55.9	297,165	29.8
New HIV Cases – 2012 (Per 100,000 Population) NOTE: U.S. Caucasian and African American totals are Non- Hispanic.	13,846 (2011)	7.0 (2011)	23,168 (2011)	60.4 (2011)	141	4.2	379	30.0
Age 25+ With Less Than High School Education – 2007-2011	19,002,578	12.0%	4,193,975	17.5%	355,101	15.4%	165,634	21.4%
Adult Obesity – 2011 (Percent of Total Population Aged 18 Years or More)	N.A.	26.5%	N.A.	36.7%	N.A.	29.8%	N.A.	40.1%
Adult Smoking - 2011 (Percent of Total Population Aged 18+ Years)	N.A.	20.8%	N.A.	26.4%	N.A.	25.0%	N.A.	20.8%
Heavy Drinkers – 2011 (Percent of adult men consuming more than two drinks per day and adult women consuming more than one drink per day).	N.A.	7.5%	N.A.	4.5%	N.A.	4.9%	N.A.	6.1%

SELECTED HEALTH STATUS INDICATORS - continued Caucasian and African American Residents, Alabama and the United States

Indicators		United	l States		Alabama				
	Cauc	asian	African A	American	Cauca	asian	African A	American	
Other Indicators - continued	Number	Measure	Number	Measure	Number	Measure	Number	Measure	
Been Told by a Doctor That You Have Diabetes – 2010 (Percent of Total Population Aged 18+ Years)	N.A.	8.0%	N.A.	13.5%	N.A.	11.8%	N.A.	16.5%	
Adults With Health Problem(s) That Require the Use of Special Equipment – 2011 (Percent of Total Population Aged 18+ Years)	N.A.	7.8%	N.A.	10.6%	N.A.	9.1%	N.A.	11.1%	
Life Expectancy at Birth - 2011	79.0	years	75.3	years	76.2 y	years	73.3	years	
Chlamydia Cases Reported – 2012 (Per 100,000 Population) NOTE: U.S. Caucasian and African American totals are Non-Hispanic.	318,272 (2011)	159.0 (2011)	471,035 (2011)	1,194.4 (2011)	5,122	152.3	15,277	1,213.2	
Gonorrhea Cases Reported – 2012 (Per 100,000 Population) NOTE: U.S. Caucasian and African American totals are Non- Hispanic.	50,361 (2011)	25.2 (2011)	168,515 (2001)	427.3 (2011)	782	23.3	5,831	471.0	

Sources of Information and Special Notes

2012 Population Estimates: U.S. Bureau of the Census, Current Estimates Data, http://www.census.gov/popest/data/index.html

Population Change 1910-2010: U.S. Census Bureau, Census of Population and Housing – 1910, https://www.census.gov/prod/www/decennial.html and U.S. Census Bureau, American FactFinder, Census 2010 Summary File 1 (SF 1) 100-Percent Data for 2010 data.

Population Change 2000-2040: U.S. Census Bureau, National Population Projections, Interim Projections 2025-2045 based on Census 2000. http://www.census.gov/population/projections/files/natproj/summary/np-t4-f.pdf. Alabama State Data Center, Alabama Population 2000-2010 and Projections 2015-2040, received by special request.

Population Below Poverty Level - 2011: U.S. Census Bureau, Poverty Status in the Past 12 Months by Sex by Age, 2011 American Community Survey – 1 Year Survey, Table B17001A (White alone) and Table B17001B (Black or African American alone).

Children Under 18 Below Poverty Level - 2011: : U.S. Census Bureau, Poverty Status in the Past 12 Months by Sex by Age, 2011 American Community Survey – 1 Year Survey, Table B17001A (White alone) and Table B17001B (Black or African American alone).

Population Aged 65 Years or More Below Poverty Level - 2011: : U.S. Census Bureau, Poverty Status in the Past 12 Months by Sex by Age, 2011 American Community Survey – 1 Year Survey, Table B17001A (White alone) and Table B17001B (Black or African American alone).

Households Receiving Food Stamps/SNAP in the Past 12 Months - 2011: U.S. Census Bureau, 2011 American Community Survey – 1 Year Survey, Tables B22005A and B22005B.

Medicaid Births - 2011: Alabama Department of Public Health, Center for Health Statistics, Special guery of the 2011 Birth Statistics File.

Unemployed Persons Aged 16-24 Years and Unemployment Rates – 2011: U.S. Census Bureau, 2011 American Community Survey – 1 Year Survey, Tables B23002A and B23002B.

Unemployed Persons Aged 25-64 Years and Unemployment Rates – 2011: U.S. Census Bureau, 2011 American Community Survey – 1 Year Survey, Tables B23002A and B23002B.

Population Aged 25-64 Not in the Labor Force – 2011: U.S. Census Bureau, 2011 American Community Survey – 1 Year Survey, Tables B23002A and B23002B.

Cause of Death Indicators: Alabama Department of Public Health, Center for Health Statistics, Special queries of the 2009, 2010, and 2011 Mortality Statistics Files for Alabama data. Centers for Disease Control and Prevention, CDC Wonder Interactive Program, Detailed Mortality file for 2010. Causes of death selected for inclusion in this publication include the 113 Selected Causes of Death as developed and used by the National Center for Health Statistics where there were more than 50 Alabama resident deaths in the two racial groupings. Alabama's white population has a greater percentage of elderly and would, thus, tend to reflect this age differential in the form of higher death rates. Age-adjusted rates attempt to remove age differences between populations as a major factor influencing death rates.

Cancer Incidence and Rates by Site and Race – Alabama Cancer Facts & Figures 2012, Alabama Statewide Cancer Registry, Alabama Department of Public Health, http://www.adph.org/ascr/assets/2012FactsFigures.pdf and Centers for Disease Control and Prevention, United States Cancer Statistics – 2009, http://apps.nccd.cdc.gov/uscs/cancersbyraceandethnicity.aspx

Infant Mortality Rate - 2009-2011: Alabama Department of Public Health, Center for Health Statistics, http://www.adph.org/healthstats/assets/Total_Inf_Mort09_11.pdf.

National Data: CDC WONDER Online Data Inquiry System, 2009 and 2010 Birth and Detailed Mortality data, http://wonder.cdc.gov/, National Vital Statistics Reports, Deaths:

Preliminary Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_06.pdf and National Vital Statistics Reports, Births: Final Data for 2011,

http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62 01.pdf.

Low Weight Births - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_01.pdf. (Births weighing less than 2,500 grams or 5 pounds and 8 ounces are defined as being of low weight.)

Births to Teenagers (Age 10-19) - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62_nvsr62_01.pdf.

Births With Less Than Adequate Prenatal Care - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (The Kotelchuck Index is used in determining adequacy of prenatal care. This index primarily considers the date when prenatal care was begun and the number of visits in determining adequacy.)

Births to Teens With Less Than Adequate Prenatal Care - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (The Kotelchuck Index is used in determining adequacy of prenatal care. This index primarily considers the date when prenatal care was begun and the number of visits in determining adequacy.)

Caesarian Births - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62_01.pdf.

Births With Tobacco Use During Pregnancy - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File.

Births to Undereducated Women - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File. (Women are considered to be "undereducated" when their years of education is at least two years less than what would be expected for someone of their age.)

Births to Unmarried Women - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_01.pdf.

Births to Unmarried Teenage Women - 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62_01.pdf.

Preterm Births – 2011: Alabama Department of Public Health, Center for Health Statistics, Special query of the 2011 Birth Statistics File and National Vital Statistics Reports, Births: Final Data for 2011, http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_01.pdf. Preterm births are those with a calculated gestation of less than 37 full weeks of pregnancy.

Married Population Aged 15 Years or More - 2011 (Does Not Include Married, but Separated): U.S. Census Bureau, American FactFinder, American Community Survey for 2011, Tables B12002A and B12002B.

Age 25+ With Less Than High School Education – 2011: U.S. Census Bureau, American FactFinder, American Community Survey for 2011, Tables B15002A and B15002B.

Adult Obesity – 2011: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. http://apps.nccd.cdc.gov/brfss/.

Adult Smoking - 2011: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. http://apps.nccd.cdc.gov/brfss/.

Heavy Drinkers – 2011: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. http://apps.nccd.cdc.gov/brfss/.

Been Told by a Doctor That You Have Diabetes – 2010: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. http://apps.nccd.cdc.gov/brfss/.

Adults With Health Problem(s) That Require the Use of Special Equipment – 2011: Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. http://apps.nccd.cdc.gov/brfss/.

Life Expectancy at Birth - 2011: Alabama Department of Public Health, Center for Health Statistics, special request and National Vital Statistics Reports, Deaths: Preliminary Data for 2011, http://www.cdc.gov/nchs/data/nvsr/01/nvsr61/nvsr

New HIV Cases – 2012: Alabama Department of Public Health (ADPH), HIV Surveillance Branch. State of Alabama 2012 HIV Surveillance Annual Report, http://www.adph.org/aids/assets/HIV_Surveillance_2012_R.pdf and Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and Tuberculosis Prevention, Division of HIV/AIDS Prevention, HIV Surveillance Report – 2011, http://www.cdc.gov/hiv/pdf/statistics_2011_HIV_Surveillance_Report_vol_23.pdf#Page=17

Chlamydia Cases Reported – 2012: Alabama Department of Public Health, Division of Sexually Transmitted Diseases Prevention and Control, Annual Statistics, http://www.adph.org/STD/Default.asp?id=1080 and Centers for Disease Control and Prevention, 2011 Sexually Transmitted Diseases Surveillance, http://www.cdc.gov/std/stats11/tables.htm

Gonorrhea Cases Reported – 2012: Alabama Department of Public Health, Division of Sexually Transmitted Diseases Prevention and Control, Annual Statistics, http://www.adph.org/STD/Default.asp?id=1080 and Centers for Disease Control and Prevention, 2011 Sexually Transmitted Diseases Surveillance, http://www.cdc.gov/std/stats11/tables.htm

PERMISSION IS GRANTED TO DUPLICATE OR OTHERWISE USE ALL OR ANY PORTION OF THIS REPORT

For additional information please contact the Office of Minority Health or the Office of Primary Care and Rural Health Development at (334) 206-5396.